

感谢您购买 奥兰多汉特 无动力拖车系列 **ORLANDO - HUNTER TRAILER Series** **OR132M3 KIT** 集装箱半挂车模型。请您务必仔细阅读说明书，根据说明书的提示来帮助您完成您的模型。

本套件为KIT散件版本，需要您动手组装上色及调试。

Thanks for choosing **ORLANDO - HUNTER TRAILER Series** **OR132M3 KIT** model. Please read our instructions carefully, and following our instructions to help you finish assembling the model. The kits are parts, need assembling, debugging by yourself.

您还需要购买涂料、遮盖胶带、流缝胶、瞬干胶、美工刀等工具辅料，来协助您完成您的模型。

Besides, in order to finish your model, following Supplementary material you also need to buy: Coating, Masking Tape, Seam Glue, CA, Utility Knife.



涂料
Coating



遮盖胶
Masking Tape



流缝胶
Seam Glue



瞬干胶
CA



美工刀
Utility Knife

如您前车(牵引车)使用的是"D4L"2.4Ghz 4合1遥控套装，还可以选购"D201N"遥控灯组配合"D4L"遥控套装，使拖挂房车的灯光系统和前车的灯光系统进行联动，遥控灯组灯光配置包含：(大灯、辅助灯、转向/双闪灯、刹车灯、倒车灯)，使模型更仿真。

You could use "D201N 2in1 Light Control Set" for the trailer, if "D4L 2.4Ghz 4 in 1 Remote Control Set" was used in the front one (for towing). D4L can control D201N and synchronize the light of the trailer with that of front one.

These parts are included in the 'D201N 2in1 Light Control Set': headlamps, auxiliary lamps, turn signal, hazard lights, brake lamps, reversing lights.



4合1遥控
4in1 Radio System



遥控灯组
Light Control Set

警告 WARNING

套件内用于包装的塑料袋使用后请及时收好，或者丢弃在可回收垃圾桶内。请勿让儿童当做玩具，可能会导致窒息危险！

The plastic bag of kits, after using please promptly put away or throws into the recyclable rubbish bin, if get by child, might have choking hazard!

注意 CAUTIONS

模型内含有微型连接件及外观仿真件，请防止高空坠落或挤压模型。这将可能损坏微型部件及外观零件！请勿将模型长时间放置于阳光下，这将可能加速塑料及橡胶的老化！

Since the model have the mini connection parts and simulation parts inside, please avoid the model be altitude fall or squeezed, otherwise, it will cause the damage of mini connection parts and simulation parts! Please do not put the model in the sun at long time, otherwise, it will accelerate aging of the plastic and rubber parts!

警告 WARNING


本套件不适合14岁以下使用！

The kits is not suitable for children under 14 years old!



套件内含大量微小零件，若儿童吸入或误食，可能会导致窒息等危险！请务必放置于儿童不易接触的地方！

This kit includes small parts which could potentially be hazardous when inhaled or eaten. Please be sure put the model at the place where child can not touch it!



尺寸/参数 SIZE / DATA

长度 L	宽度 W	高度 H	轮距 T	轴距 W.H
391mm	81mm	50mm	61mm	42+42

132th **ORLANDO**

提示 TIPS

在开始组装前，请先准备好所需要用到的工具，按照说明书左侧提示打开相对应的包裹（不要将所有零件包全部打开或全部取出，以免弄混或者丢失），取出相对应的零件（只需要取出左侧标注的零件数量）。因个别零件尺寸比较小，特别是螺丝等小零件，非常容易丢失，使用小盘子、小盒子等来放置待组装的小零件，能有效防止其丢失。

取出零件后如发现毛刺或飞边的，请先用美工刀进行修整，再用砂纸打磨光洁后再进行组装。进行这一步骤后将对组装完成后运行的流畅性和美观性有进一步提升。

组装小零件时注意控制力度，以免损坏零件或使零件掉落而丢失。

Before assembling, please according the instructions tips to open and take out corresponding package, ready for all the tool you need (please not open all the package, it will cause the parts lost or confused). Because some spare parts are really very small, especially the screw etc., which is easily missing, you can put them into a small dish or box first to avoid missing.

Before assembling check the spare parts first, if any burr found, please use utility knife to make it flat, and then use sandpaper to make it smooth. After doing this the fluency and aesthetics of the model will be upgraded.

During assembling the spare parts, please do not use over strength or else will cause the spare parts break or drop.

部件/编号对照 PARTS / REFERENCE NUMBER

以下为 奥兰多汉特 无动力拖车系列 **OH32No3 KT**【集装箱半挂车】模型包含的所有零部件编号及数量对照表。


如组装或者使用过程中损坏或者丢失其中一些部件，可按照零部件编号购买相应的零部件用以替换。

如需要对模型进行改装及加装，也可按照所需要改装或加装的零部件的编号进行购买。

Following is the comparison table of all spare parts and numbers of the **ORLANDOO - HUNTER TRAILER Series OH32No3 KT** Model.


During the assembling, if some spare parts break or lost, you can according the number in the chart to buy a new one to replace it.

If need remodel or adding, also can according the chart to buy some additional spare parts.




1X OHPCCK23900


2X OHPCB33625




OH32No2 KT

2X OHPCCK10750







1X OHPCE32001




2X OHPCA20124



1X OHPCK10800





1X OHPCA20122




3X OHPCF20490

1X OHPCF00006




1X OHPCM00005


OH32No2 KIT




1X OHPCF20491




1X OHPCM00002



3X OHPCM00004




2X OHPC32215




2X OHPC32064



4X
OHTLC00002




14X
OHPCG31901



14X
OHTET19001




1X OHMLF00027



1X WP0014

orlando-hunter

WP0014



6X OHMLM11223

1X OHMLB01215

6X OHMLB01208

2X OHMLB01206

12X OHMLM31525

16X OHMLA20162

16X OHMLA20260

4X OHMLA20400

102X OHSW90103

6X OHSW90102

6X OHMLD02006

54X OHSW01002

8X OHSW01004

23X OHSW01202

12X OHSW01203

6X OHSW11002

22X OHSW11005

68X OHSW11007

2X OHSW11203

1X OHTLB10021



1X OHTLB32001



1X OHTLB40009

1X OHTLB40015

工具包内包含 TOOL CONTENTS

十字螺丝刀
 六角锁胎器
 内六角扳手
 外六角扳手
 双面减震垫

Phillips Screwdriver
 Nut Driver
 "L" Type Hexagon Screwdriver
 Open End Wrenches
 Double Side Tape

1X OHTLB52010

以下图标将会出现在接下来的装配图中，请先了解图标的含义！
 Following Icon will appear on the assembling chart, please understanding its meaning first!

2X

制作2份
 Make
 2 Copies

3X

制作3份
 Make
 3 Copies

4X

制作4份
 Make
 4 Copies

6X

制作6份
 Make
 6 Copies

14X

制作14份
 Make
 14 Copies



切除
 Slicing



需上色
 Requiring Color



不使用胶水
 Don't Glue



流缝胶
 Requiring
 Glue



瞬干胶
 CA



选择
 Requiring
 Select



改零件
 Optional




注意
 Attention




3X OHMLA20162


1





2




3




4




3



5



6




7

ОHPCK23900 5

ОHPCK23900 6

6



8



注意控制胶水用量!(少量)
Pay attention to the amount of glue!
(small amount)



OHPCK10800 **6**



注意零件方向!
Pay attention the direction
of the spare parts!



注意零件方向!
Pay attention the direction
of the spare parts!

OHPCK10800 **6**




注意控制胶水用量!(少量)
Pay attention to the amount of glue!
(small amount)



7




注意不要和主体粘连!
Be careful not to stick to
the main body!




OHPCK10800 **7**

OHPCK10800 **7**



10



11

OHPCK10800 7

OHPCK10800 7

OHPCK10800 7

OHPCK10800 7

OHPCK10800 7

OHPCK10800 7

10

OHPCK10800 7

OHPCK10800 7



注意控制胶水用量!(少量)
Pay attention to the amount of glue!
(small amount)



注意零件方向!
Pay attention to the direction
of the spare parts!

OHPCK10800 6

OHPCK10800 6



OHPCK10800 6

OHPCK10800 6



注意控制胶水用量!(少量)
Pay attention to the amount of glue!
(small amount)

OHPCK10800 6

OHPCK10800 6



注意控制胶水用量!(少量)
Pay attention to the amount of glue!
(small amount)




OHPCK10800 6

OHPCK10800 6




注意零件方向!
Pay attention to the direction
of the spare parts!




注意不要和主体粘连!
Be careful not to stick to
the main body!

12



B

打开包裹“B”

13

14

OHMLF00027 13

OHMLF00027 14


OHMLF00027 13

OHMLF00027 14


OHMLF00027 13

OHMLF00027 13

13



15






12X OHMLM31525




12X OHSW90103

14






4X OHSW01202




20




21


20



22



21









2X OHSGB22728


6X OHSW01202


2X OHSW11203


2X OHTLC00002

23




2X




2X OHSGA01502


24



安装弹簧前检查运行是否顺畅!
Make sure the operation is smooth
before installing the spring!



23





检查撑腿运行是否顺畅!
Check whether the leg brace
is running smoothly!

1X OHMLB01215


2X OHMLA20260
2X OHMLB01206

25





装配后请测量平面至平面距离约为10mm，两端拉杆头保持平行。
After assembling, please measure the distance
between planes should be about 10mm. Both two
rod ends should keep parallel.


26



装配后请测量平面至平面距离约为2.4mm，两端拉杆头保持平行。
After assembling, please measure the distance
between planes should be about 2.4mm. Both two
rod ends should keep parallel.




用镊子夹住球头检查是否顺畅!
Clamp the ball head with tweezers
to check if it is smooth!





2X OHSW11005

28




将滑块推制最后端，
检查短拉杆角度应小于145度，
大于这个角度可能会导致弹簧不能回弹！

Push the slider to the rearmost end.
The angle of the short tie rod should be less than 145 degrees,
or the spring will fail the spring back!


如两侧撑腿不能同时触发回弹，
可调长先触发一侧的撑腿拉杆长度，
亦可减短后触发侧撑腿的拉杆长度。

If the legs on both sides cannot rebound at the same time,
lengthen the leg tie rod on the earlier triggered side or
shorten the leg tie rod on the later triggered side.





本套件不包含拖头!
This kit does not include a truck!




微调拉杆长度，
使半挂车牵引销卡入拖头鞍座锁扣时
同时释放撑腿扳机--收起撑腿。

Adjust the length of the tie rod.
When the semitrailer traction pin snaps into the towing saddle latch
Release the leg puller trigger at the same time - retract the leg brace.


4X OHSW11007

30



打开包裹“C”



6X OHMLC20011



6X OHBG10310




6X OHBG30620




12X OHSW01203

31

6X





32



33

3X



32



注意零件方向!


Pay attention the direction
of the spare parts!


34



注意零件方向!
 Pay attention the direction
 of the spare parts!




35




12X OHMLB31013


6X OHMLA20260

36



注意零件方向!
Pay attention the direction
of the spare parts!



6X OHMLA20162



24X OHSW90103

37

3X

OHSW90103

OHSW90103
OHSW90103

 OHSW90103

OHSW90103

OHSW90103 
OHSW90103 

 OHSW90103

OHMLF00027 12

OHMLF00027 12

OHPCF20491 **1**

OHMLA20162


OHMLA20162

OHPCF20491 **1**

36


12X OHSW11005


38





4X OHMLA20260
2X OHMLB01208

39




2X




! 装配后请测量平面至平面距离约为2.1mm，两端拉杆头保持平行。
After assembling, please measure the distance between planes should be about 2.1mm. Both two rod ends should keep parallel.

4X OHMLA20260
4X OHMLA20400
4X OHMLB01208

40




4X





! 装配后请测量平面至平面距离约为2.1mm，两端拉杆头保持平行。
After assembling, please measure the distance between planes should be about 2.1mm. Both two rod ends should keep parallel.

6X OHSGA11501
6X OHMLD02006
6X OHSW01203


41



6X



! 请调整减震距离约为5mm。
Please adjust the distance between shock absorber.
请使用尖嘴钳夹住丝杆再拧入减震座。
Please use Needle-nose pliers clamp to rod then twist into the shock absorber seat.



43

41

41


41

41

41

41

42




44

43

3X

OHPCF20490 4

OHPCF20490 5



OHPCM00004 1

46

45



请按照图示方向折弯。

Please bend in the direction shown.



请按照图示方向折弯。

Please bend in the direction shown.

 **24X** OHSW01002

47

OHSW01002

OHSW01002

OHSW01002

OHSW01002

OHSW01002

OHSW01002

OHSW01002

46


OHSW01002


OHSW01002

OHSW01002

OHSW01002

OHSW01002








60X OHSW11007

49




0P 可升级金属法兰盘!
Optional to metal flanges !

GA5003




50



0P 可升级金属轮毂!
Optional to metal truck wheel hub !

GA4018





6X OHSW90102

51


0P

可升级金属轮毂装饰盖!


Optional to metal wheel hub center cover!



GA6004



52





6X OHSW11002



6X OHSW90103

53

OHPCK10800 5



OHSW11002
OHSW11002

OHSW11002

OHSW11002

OHSW11002

OHSW11002



54




半挂车可搭载一个 FEU-42G1 40英尺集装箱。
The semi-trailer can carry one 40-foot container.


本套件不包含集装箱！
This kit does not include a containers!




半挂车可搭载两个 TEU-22G1 20英尺集装箱。
The semi-trailer can carry two 20-foot containers.




升起滑块
Raise the slider




旋转滑块
Rotate the slider



固定滑块
Clamp the slider



旋转锁扣
Swivel latch



锁扣锁止
Locking fastening

搭载20英尺集装箱时，需将锁扣滑块升起，再装载集装箱。
When carrying 20-foot container, raise the latch slider and load the container.



本套件不包含集装箱！
This kit does not include a container!

